

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [64005-0200](#)
Status: **Active**
Description: Crimp Head for the AT-200™ Pneumatic Hand Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T0102
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	Air Tool
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	756054561331

Material Info

Old Part Number AT-1991

Reference - Drawing Numbers

Application Tooling Documents

ATS-640050200, TM-192790001, TM-192790001SP, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP, TM-640160065TH, TM-640160065TW, TM-640160065VN
640050199

Sales Drawing




image - Reference only

EU RoHS **China RoHS**

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T0102Series](#)

Use With

Molex AT-200™ Hand-Held Pneumatic Tool
[19279-0001](#)

Application Tooling	FAQ
Description	Product #

InsulKrimp™	0190170008
-------------	------------

Quick Disconnect,
Female, for 18-22
(0.80-0.35mm²) Wire,
Box, Tab 4.75 x
0.81mm

Avikrimp™ Quick	0190020044
-----------------	------------

Disconnect,
Female, for 10-12
(5.00-3.30mm²) Wire,
Box, Tab 6.35 x
0.81mm

Avikrimp™ Quick	0190250005
-----------------	------------

Disconnect for 10-12
AWG Wire, Male,
6.35 x 0.81mm Tab

Avikrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.51mm	0190190001
Avikrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 4.75 x 0.51mm	0190190006
Avikrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 2.79 x 0.51mm	0190190022
Avikrimp™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 6.35 x 0.81mm	0190190012
Avikrimp™ Quick Disconnect, Female, for 10-12 (5.00-3.30mm ²) Wire, Box, Tab 6.35 x 0.81mm	0190190037
Avikrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 4.75 x 0.51mm	0190190027
Avikrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 5.21 x 0.81mm	0190190035
InsulKrimp™ Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 2.79 x 0.51mm	0190170023
Quixon Quick Disconnect, InsulKrimp™ Style, Female, Partially Insulated Red, 18-22 AWG, Loose	0192740002
Quixon Quick Disconnect, InsulKrimp™ Style, Female, Partially Insulated Blue, 14-16 AWG, Loose	0192740005
Quixon Quick Disconnect, Avikrimp™ Style, Female, Partially	0192750002

Insulated Red, 18-22 AWG, Loose Quixon Quick	0192750005
Disconnect, Avikrimp™ Style, Female, Partially Insulated Blue, 14-16 AWG, Loose Quixon Quick	0192770008
Disconnect, Avikrimp™ Style, Female, Fully Insulated Yellow, 10-12 AWG, Loose InsulKrimp™	0190170001
Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.51mm InsulKrimp™	0190170005
Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.81mm Avikrimp™ Quick	0190190004
Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.81mm Avikrimp™ Fully	0196060005
Insulated Quick Disconnect, Female, for 10-12 AWG Wire, Box InsulKrimp™	0190170031
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 4.75 x 0.51mm InsulKrimp™	0190170032
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 4.75 x 0.81mm InsulKrimp™	0190170037
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 6.35 x 0.81mm Avikrimp™ Quick	0190190008
Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 4.75 x 0.81mm Avikrimp™ Quick	0190190028
Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire,	

Box, Tab 4.75 x 0.81mm InsulKrimp™	0190170007
Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 4.75 x 0.51mm InsulKrimp™	0190170014
Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 6.35 x 0.81mm InsulKrimp™	0190170018
Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 5.21 x 0.51mm InsulKrimp™	0190170028
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 2.79 x 0.81mm InsulKrimp™	0190170043
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 5.21 x 0.51mm InsulKrimp™	0190170044
Quick Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 5.21 x 0.81mm InsulKrimp™	0190170047
Quick Disconnect, Female, for 10-12 (5.00-3.30mm ²) Wire, Box, Tab 6.35 x 0.81mm Avikrimp™ Quick	0190190014
Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 5.21 x 0.51mm Avikrimp™ Quick	0190190015
Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 5.21 x 0.81mm Avikrimp™ Quick	0190190025
Disconnect, Female, for 14-16 (2.00-1.30mm ²) Wire, Box, Tab 2.79 x 0.81mm Avikrimp™ Quick	0190190034
Disconnect, Female, for 14-16	

(2.00-1.30mm²) Wire,
Box, Tab 5.21 x
0.51mm

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION