

## Passive module - VIP-2/SC/FLK14/8M/PLC SO - 2905855

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



VARIOFACE interface module, for 8 channels, each with an additional terminal block per signal for a common plus potential

### Product Features

- These VARIOFACE modules are intended for use with the Siemens 6ES7321-7BH01-OABO card only



### Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	50.0 g
Country of origin	United States

### Technical data

Product type	Controller board
Approval	EAC
Controller	SIEMENS S7-300 / ET 200 M
Connection method, field level	Screw connection
Connection method, control level	IDC/FLK pin strip (2.54 mm)
Function	Feed-through
Common potential	Plus
Status indicator	No
I/O card	6ES7 321-7BH01-OAB0

### Classifications

eCl@ss

eCl@ss 4.0	27250313
------------	----------

# Passive module - VIP-2/SC/FLK14/8M/PLC SO - 2905855

## Classifications

### eCl@ss

eCl@ss 4.1	27250313
eCl@ss 5.0	27250313
eCl@ss 5.1	27250313
eCl@ss 6.0	27242608
eCl@ss 7.0	27141152
eCl@ss 8.0	27141152
eCl@ss 9.0	27141152

### ETIM

ETIM 2.0	EC001434
ETIM 3.0	EC001604
ETIM 4.0	EC001604
ETIM 5.0	EC002780

### UNSPSC

UNSPSC 6.01	30211824
UNSPSC 7.0901	39121421
UNSPSC 11	39121421
UNSPSC 12.01	39121421
UNSPSC 13.2	39121421

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted

---

### Approval details

EAC
-----

# Passive module - VIP-2/SC/FLK14/8M/PLC SO - 2905855

## Drawings

Circuit diagram

